

Mapped by the Army Map Service
Published for civil use by the Geological Survey

Control by USC&GS, USCE, U.S. Lake Survey
and International Boundary Commission



U. S. topography from aerial photographs by photogrammetric
methods. Aerial photographs taken 1950. Field check 1951
Canadian topography from Department of National Defence,
dated 1939

Hydrography compiled from U. S. Lake Survey charts 62 and
63 (1955)

Polyconic projection. 1927 North American datum
10,000-foot grid based on Michigan coordinate system, east zone
1000-meter Universal Transverse Mercator grid ticks,
zone 16, shown in blue

Red tint indicates areas in which only
landmark buildings are shown

Unchecked elevations are shown in brown



CONTOUR INTERVAL 20 FEET IN THE UNITED STATES AND 25 FEET IN CANADA
DASHED LINES REPRESENT 10-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET-DATUM ABOVE 500 LOCKS IS
602 FEET AND BELOW LOCKS IS RIVER SURFACE AT FOLLOWING
STAGE: LAKE HURON 578 FEET
THE U. S. PORTION OF THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION 1952
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
U. S. Route ——— State Route ———

This area also covered by 1:24,000 scale maps of
Sault Ste. Marie South, Shallows, Dafter, and
Barbeau 7.5 minute quadrangles, surveyed 1951

SAULT STE. MARIE, MICH.
N4615-W8415/15

USGS
Historical File
Topographic Division
1951

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION

JUN 27 1958