



Mapped, edited, and published by the Geological Survey


Control by USGS, USC&GS, and International Boundary Commission
Topography by photogrammetric methods from aerial
photographs taken 1968. Field checked 1969

Selected hydrographic data in Rainy Lake compiled from U. S. Lake
Survey Chart 821 (1965). This information is not intended for
navigational purposes. Depth curves in Kabetogama Lake and
Locator Lake compiled from charts furnished by Minnesota
Department of Conservation

Polyconic projection. 1927 North American datum
10,000-foot grid based on Minnesota coordinate system,
north zone
1000-meter Universal Transverse Mercator grid ticks,
zone 15, shown in blue
To place on the predicted North American Datum 1983
move the projection lines 5 meters north and

UTM GRID AND 1983 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET
There may be private inholdings within
the boundaries of the National or
State reservations shown on this map

SCALE 1:24 000



CONTOUR INTERVAL 10 FEET
DOTTED LINES REPRESENT 5-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM FOR RAINY LAKE IS 1102 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

ROAD CLASSIFICATION
Trails

CRANBERRY BAY, MINN.
N4830—W9300/7.5

1969
PHOTOREVISED 1983
DMA 7381 II SE—SERIES V872

A.H. ROBINSON
MAP LIBRARY
FEB 10 1984
University of Wisconsin
Madison