

ROAD CLASSIFICATION NED81,102 5 Control by USGS and USC&GS MN 1000 0 1000 2000 3000 4000 5000 6000 7000 FEET Heavy-duty..... Light-duty.... Planimetry by photogrammetric methods from aerial photographs -----GN ---taken 1965. Topography by planetable surveys 1966 1 KILOMETER Medium-duty\_\_\_\_\_ Unimproved dirt ======= Polyconic projection. 1927 North American datum CONTOUR INTERVAL 5 FEET DATUM IS MEAN SEA LEVEL Polyconic projection. 1927 North American datum 10,000-foot grid based on Minnesota coordinate system, north zone  $\frac{1^{44'}}{31 \text{ MILS}}$ U.S. Route MAP AND AIR PHOTO LIBRARY 1000-meter Universal Transverse Mercator grid ticks, University of Wisconsin MINN. zone 14, shown in blue Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs UTM GRID AND 1966 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET SKULL LAKE SW, MINN. N4845—W9637.5/7.5 QUADRANGLE LOCATION This information is unchecked THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20242 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

1966

AMS 6681 I SW-SERIES V872