


SCALE 1:24 000



CONTOUR INTERVAL 20 FEET NATIONAL GEODETIC VERTICAL DATUM OF 1929 TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225 AND DIVISION OF GEOLOGY AND LAND SURVEY MISSOURI DEPARTMENT OF NATURAL RESOURCES, ROLLA, MISSOURI 65401 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION table with symbols for primary, secondary, and hard surface roads, and icons for interstate, U.S., and state routes.

Table with 8 columns and 2 rows, likely a legend for specific map features or symbols.

POWDER MILL FERRY, MO 1997 NIMA 758 II NW-SERIES V879

Produced by the United States Geological Survey Topography compiled 1964. Planimetry derived from imagery taken 1987 and other sources. Photoinspected using imagery dated 1997; no major culture or drainage changes observed. PLSS and survey control current as of 1965. Boundaries revised 2001

North American Datum of 1927 (NAD 27). Projection and 10 000-foot ticks: Missouri coordinate system, east zone (transverse Mercator) 1000-meter Universal Transverse Mercator grid, zone 15 North American Datum of 1983 (NAD 83) is shown by dashed corner ticks. The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software

There may be private inholdings within the boundaries of the National or State reservations shown on this map Information shown in purple may not meet USGS content standards and may conflict with previously mapped contours

UTM GRID AND 2001 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET TOTAL RECOVERED FIBER 29%

RECEIVED AUG 31 2001 HISTORICALMAPARCHIVES

