



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

UNITED STATES  
DEPARTMENT OF THE ARMY  
CORPS OF ENGINEERS

GREENVILLE 12 MI.  
POPLAR BLUFF QUADRANGLE  
MISSOURI  
570 000 FEET  
R. 5 E. T. 27 N. R. 6 E. T. 26 N. R. 7 E. T. 25 N. R. 8 E. T. 24 N.

WILLIAMSVILLE 3.2 MI.  
GREENVILLE 9.1 MI.  
ELLENBORO 17 MI.  
6 MI. TO U.S. 60  
NEELYVILLE 16 MI.  
CORNING 31 MI.  
QUIN 14 MI.  
BROSELEY 9 MI.

SCALE 1:62500  
CONTOUR INTERVALS 5 AND 20 FEET (SEE DIAGRAM)  
DATUM IS MEAN SEA LEVEL

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER 25, COLORADO OR WASHINGTON 25, D. C.  
AND BY THE MISSOURI GEOLOGICAL SURVEY, ROLLA, MISSOURI  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Topography by Kostka Mudd, Daniel Kennedy, A.T. Munson,  
J.B. Leachman, W.A. Tingey, R.O. Davis, G.W. Moore, and R.D. Courtney  
Culture and drainage in part compiled from aerial photographs  
taken by Air Corps, U.S. Army  
Control by U.S. Geological Survey, U.S. Coast and Geodetic Survey, and  
Corps of Engineers, U.S. Army  
Surveyed in 1931  
Partial revision, 1949

ROAD CLASSIFICATION  
1964  
Heavy-duty ——— Light-duty ———  
Medium-duty ——— Unimproved dirt ———  
U. S. Route ——— State Route ———

Polyconic projection. 1927 North American datum.  
10,000-foot grid based on Missouri (East)  
rectangular coordinate system  
1000-meter Universal Transverse Mercator grid ticks,  
zone 15, shown in blue

USGS  
Historical File  
Topographic Division

POPLAR BLUFF, MO.  
N3645-W9015/15  
1949

1740