

Produced by the United States Geological Survey



Topography compiled 1951. Planimetry derived from imagery taken 1992. Public Land Survey System and survey control current as of 1954.

Selected hydrographic data compiled from NOS charts 875 (1954), 876 (1954), and 1267 (1954). This information is not intended for navigational purposes.

North American Datum of 1983 (NAD 83). Projection and 1000-meter grid: Universal Transverse Mercator, zone 16 2500-meter ticks: Mississippi Coordinate System of 1983 (east zone).

North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.

There may be private inholdings within the boundaries of the National or State reservations shown on this map. Landmark buildings verified 1954.



CONTOUR INTERVAL 5 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048
DEPTH CURVES AND SOUNDINGS IN FEET. DATUM IS MEAN LOWER LOW WATER
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE MEAN RANGE OF TIDE IS 1 FOOT

FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

1	2	3
4	5	6
7	8	

ROAD CLASSIFICATION
Primary highway
Secondary highway
Light-duty road, hard or improved surface
Unimproved road

Interstate Route
U.S. Route
State Route

USES AND HISTORICAL MAP ARCHIVES
JUL 31 1990
REC'D FILE COPY

OCEAN SPRINGS, MS
1992
NIMA 3244 NE-SERIES V843

