





Mapped and edited by Tennessee Valley Authority
Published by the Geological Survey
Control by USC&GS, USGS, USED, and TVA
Topography by USGS and TVA by multiplex methods from aerial
photographs taken 1948. Field examination by TVA, 1950
Polyconic projection. 1927 North American datum
10,000-foot grid based on Mississippi (East) and
Alabama (West) rectangular coordinate systems
1000-meter Universal Transverse Mercator grid ticks,
zone 16, shown in purple
Grid declination 0°40' 12" W
Revisions in purple compiled by TVA November 1967 from
March 1967 photography without field examination

APPROXIMATE MEAN
DECLINATION 1966
1968




CONTOUR INTERVAL 20 FEET
DASHED LINES REPRESENT HALF-INTERVAL CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092.
U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TENN. 37401 OR KNOXVILLE, TENN. 37902.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

LEGEND

Fence and field line
Stream
Pond and dam
Mine or quarry
Woodland (formerly clearing)
Clearing (formerly woodland)
General deletion
Wagon and jeep track
Foot trail

ROAD CLASSIFICATION
In developed areas, only through roads are classified
HARD-SURFACE ALL WEATHER ROADS
Heavy-duty
Medium-duty
Loose-surface, graded, or narrow hard-surface
U. S. Route
State Route
DRY WEATHER ROADS
Improved dirt
Unimproved dirt



TISHOMINGO, MISS.-ALA.
N3437.5-W8807.5/7.5

1950

26-NW
AMS 3353 II NW SERIES V843

USGS
Historical File
Topographic Division

AUG 1 1974