



Produced by the United States Geological Survey Topography compiled 1952. Planimetry derived from imagery taken 1997 and other sources. Public Land Survey System and survey control current as of 1956. Selected hydrographic data compiled from NOS Chart 877 (1957). This information is not intended for navigational purposes. North American Datum of 1983 (NAD 83). Projection and 1 000-meter grid: Universal Transverse Mercator, zone 16 2 500-meter ticks: Mississippi Coordinate System of 1983 (east zone). North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software. Dashed land lines indicate approximate locations. There may be private inholdings within the boundaries of the National or State reservations shown on this map. Landmark buildings verified 1956.



CONTOUR INTERVAL 5 FEET NATIONAL GEODETIC VERTICAL DATUM OF 1929 TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048 DEPTH CURVES AND SOUNDINGS IN FEET, DATUM IS MEAN LOWER LOW WATER THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE THE MEAN RANGE OF TIDE IS APPROXIMATELY 2 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION Primary highway hard surface Secondary highway hard surface Interstate Route U.S. Route State Route Light-duty road, hard or improved surface Unimproved road

Table with 3 columns and 3 rows of numbers (1-9) for adjacent quadrangles.

RECEIVED JUL 31 2000 WAVELAND, MS 1997 NIMA 3144 IV SW-SERIES V843

