




Mapped, edited, and published by the Geological Survey as part of the Department of the Interior program for the development of the Missouri River Basin. Control by USGS, USC&GS, and Missouri River Commission. Topography by photogrammetric methods from aerial photographs taken 1970. Field checked 1972. Underwater contours in Canyon Ferry Lake not available below 3720 feet. Projection: Montana coordinate system, south zone (Lambert conformal conic). 10,000-foot grid ticks based on Montana coordinate system, south and central zones. 1000-metre Universal Transverse Mercator grid ticks, zone 12, shown in blue. 1927 North American datum. Fine red dashed lines indicate selected fence lines. Areas covered by dashed light-blue pattern are subject to controlled inundation to 3800 feet.



CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929



ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
Interstate Route	U.S. Route
	State Route

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

CANYON FERRY SW, MONT.
SW/4 CANYON FERRY 15' QUADRANGLE
N4630-W11137.5/7.5
1972
AMS 3677 II SW-SERIES V894

JAN 21 1976