

Selected hydrographic data compiled from NOS charts 12204 and 12206 (1981). This information is not intended for navigational purposes

North American Datum of 1927 (NAD 27). Projection and 10 000-foot ticks: North Carolina coordinate system (Lambert conformal conic) 1000-meter Universal Transverse Mercator grid, zone 18


North American Datum of 1983 (NAD 83) is shown by dashed corner ticks. The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software

There may be private inholdings within the boundaries of the National or State reservations shown on this map

UTM GRID AND 2002 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

20% TOTAL RECOVERED FIBER

CONTOUR INTERVAL 2 METERS SUPPLEMENTARY CONTOUR INTERVAL 1 METER DASHED SUPPLEMENTARY CONTOURS ARE APPROXIMATE NATIONAL GEODETIC VERTICAL DATUM OF 1929 CONTROL ELEVATIONS SHOWN TO THE NEAREST 0.1 METER OTHER ELEVATIONS SHOWN TO THE NEAREST 0.5 METER DEPTH CURVES AND SOUNDINGS IN METERS-DATUM IS MEAN LOWER LOW WATER THE RELATIONSHIP BETWEEN THE TWO DATUMS IS MEAN LOWER LOW W THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE THE MEAN RANGE OF TIDE IS APPROXIMATELY 0.2 METER TO CONVERT FROM METERS TO FEET, MULTIPLY BY 3.2808 THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



U.S. Route State Route 917806071989786 CAMDEN POINT, NC NIMA 5856 III NW-SERIES V8420

1999