




To convert feet to meters multiply by 3.048
To convert meters to feet multiply by 3.2808

USGS AND HISTORICAL MAP
APR 1 - 1988
RECD FILE COPY

Produced by the United States Geological Survey
Control by USGS, NOS/NOAA, and USCE
Orthophotomap prepared from aerial photograph taken March 2, 1977. Topography by photogrammetric methods from aerial photographs taken 1975 and planetable surveys 1980. Field checked 1977. Map edited 1982
Selected hydrographic data compiled from NOS chart 12207 (1979). This information is not intended for navigational purposes
Projection and 10,000-foot grid ticks: North Carolina coordinate system (Lambert conformal conic)
1000-meter Universal Transverse Mercator grid, zone 18
1927 North American Datum
To place on the predicted North American Datum 1983 move the projection lines 11 meters south and 30 meters west as shown by dashed corner ticks



CONTOUR INTERVAL 2 METERS
SUPPLEMENTARY CONTOUR INTERVAL 1 METER
DASHED SUPPLEMENTARY CONTOURS ARE APPROXIMATE
NATIONAL GEODETIC VERTICAL DATUM OF 1929
CONTROL ELEVATIONS SHOWN TO THE NEAREST 0.1 METER
OTHER ELEVATIONS SHOWN TO THE NEAREST 0.5 METER
SOUNDINGS IN METERS—DATUM IS MEAN LOW WATER
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE
THE MEAN RANGE OF TIDE IS APPROXIMATELY 0.2 METER



CONTOURS AND ELEVATIONS IN METERS

ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
Trails	
Interstate Route	U. S. Route
	State Route

CURRITUCK, N. C.
NE4 ELIZABETH CITY 15' QUADRANGLE
N3622.5 - W7600.7.5
1982
DMA 5756 1 NE - SERIES V8420

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092