




SCALE 1:24 000




CONTOUR INTERVAL 5 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048


Produced by the United States Geological Survey in cooperation with the North Carolina Department of Environment and Natural Resources

Topography compiled by photogrammetric methods from aerial photographs taken 1975. Planimetry derived from imagery taken 1997 and other sources. Survey control current as of 1975.

North American Datum of 1983 (NAD 83). Projection and 1 000-meter grid: Universal Transverse Mercator, zone 17 2 500-meter ticks: North Carolina Coordinate System of 1983 North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.



UTM GRID AND 2000 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET



QUADRANGLE LOCATION

ROAD CLASSIFICATION


Primary highway hard surface	Light-duty road, hard or improved surface
Secondary highway hard surface	Unimproved road
Interstate Route	U.S. Route
	State Route

RECEIVED  
DEC 31 2000

1	2	3	1 Newton Grove South
			2 Dobbersville
			3 Mount Olive
			4 Clinton North
			5 Warsaw North
			6 Clinton South
			7 Turkey
			8 Warsaw South

FAISON, NC  
1997

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



28% TOTAL RECOVERED FIBER

NIMA 5354 II SW-SERIES V842

