



20%
TOTAL RECOVERED FIBER

Produced by the United States Geological Survey
in cooperation with the North Carolina Department
of Environment and Natural Resources
Derived from imagery taken 1979 and other sources. Photoinspected
using imagery taken 2002; no major culture or drainage changes
observed. Survey control current as of 1979
Boundaries, other than corporate, verified 2003
North American Datum of 1927 (NAD 27). Projection and
10 000-foot ticks: North Carolina coordinate system
(Lambert conformal conic)
1000-meter Universal Transverse Mercator grid, zone 17S
North American Datum of 1983 (NAD 83) is shown by dashed
corner ticks. The values of the shift between NAD 27 and NAD 83
for 7.5-minute intersections are obtainable from National Geodetic
Survey NADCON software



CONTOUR INTERVAL 20 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
(TO CONVERT ELEVATIONS TO THE NORTH AMERICAN VERTICAL DATUM OF 1988, SUBTRACT 1 FOOT)
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION


ROAD CLASSIFICATION	
Primary highway hard surface	Light-duty road, hard or improved surface
Secondary highway hard surface	Unimproved road
Interstate Route	U.S. Route
	State Route

1	2	3
4	5	6
7	8	

ADJOINING 7.5' QUADRANGLES

RECEIVED
AUG 2 9 2003
JULY 2003
HISTORICAL MAP ARCHIVES

JUN 2 6 2003
LAWNDALE, NC
2002
NIMA 4645 I NE-SERIES V842



3 1818 00417323 6