



Produced by the United States Geological Survey in cooperation with the North Carolina Department of Environment and Natural Resources
Topography compiled by planetable surveys 1951. Planimetry derived from imagery taken 1998 and other sources. Survey control current as of 1954
North American Datum of 1983 (NAD 83). Projection and 1 000-meter grid: Universal Transverse Mercator, zone 18
2 500-meter ticks: North Carolina Coordinate System of 1983
North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software
Landmark buildings verified 1954



CONTOUR INTERVAL 5 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048
THE MEAN RANGE OF TIDE IS LESS THAN 0.5 FEET



ROAD CLASSIFICATION

Primary highway	Light-duty road, hard or improved surface
hard surface	Secondary highway
Secondary highway	Unimproved road
hard surface	

Intestate Route U.S. Route State Route

RECEIVED
SEP 30 2001

1	2	3
4	5	6
7	8	

ADJOINING 7.5' QUADRANGLE NAMES

PLYMOUTH EAST, NC
1998

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

NIMA 5655 I SW-SERIES V842

