



Produced by the United States Geological Survey
in cooperation with the North Carolina Department
of Environment and Natural Resources

Derived from imagery taken 1979 and other sources. Photoinspected
using imagery taken 1997; no major culture or drainage changes
observed. Survey control current as of 1981
Boundaries verified 2001

North American Datum of 1927 (NAD 27). Projection and
10 000-foot ticks: North Carolina coordinate system
(Lambert conformal conic)
1000-meter Universal Transverse Mercator grid, zone 17

North American Datum of 1983 (NAD 83) is shown by dashed
corner ticks. The values of the shift between NAD 27 and NAD 83
for 7.5-minute intersections are obtainable from National Geodetic
Survey NADCON software



CONTOUR INTERVAL 2 METERS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
CONTROL ELEVATIONS SHOWN TO THE NEAREST 0.1 METER
OTHER ELEVATIONS SHOWN TO THE NEAREST 0.5 METER
TO CONVERT FROM METERS TO FEET, MULTIPLY BY 3.2808

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

1	2	3	1 Rowan
2	3	4	2 Aikman
3	4	5	3 Curran
4	5	6	4 Kelly
5	6	7	5 Currie
6	7	8	6 Freeman
			7 Adams
			8 Leland

ADJOINING 7.5' QUADRANGLE NAMES

ROAD CLASSIFICATION

Primary highway, hard surface
Secondary highway, hard surface
Interstate Route
U.S. Route
State Route

Light-duty road, hard or improved surface
Unimproved road

RECEIVED
MAY 3 2001

HISTORICAL MAP ARCHIVES

POINT CASWELL, NC

1997

NIMA 5352 1 NW-SERIES 4842

