





Basic control by USCGS, USGS, and TVA
Topography by USGS and TVA from aerial
photographs by stereophotogrammetric methods
Field examination by Tennessee Valley Authority, 1946



USGS
Historical File
Topographic Division

Interior-Geological Survey, Washington, D.C. - 1967
DILLARD (21 MI.)
CLAYTON (16.90 MI.)
Polyconic projection. 1927 North American datum
10,000 foot grid based on North Carolina
rectangular coordinate system
1000-meter Universal Transverse Mercator grid ticks,
Zone 17, shown in blue.
ROUTES USUALLY TRAVELED
HARD, IMPERVIOUS SURFACES
OTHER SURFACE IMPROVEMENTS
U.S. ROUTE STATE ROUTE

FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242.
U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TENN. 37401 OR KNOXVILLE, TENN. 37902
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION

PRENTISS, N.C.
167-SW
N3500 W8322.5/7.5
1946
AMS 4354 III SW-SERIES Y842

2345
DEC 8 1946