



Basic control by USC&GS, USGS, and TVA  
Topography by USGS and TVA from aerial  
photographs by stereophotogrammetric methods  
Field examination by Tennessee Valley Authority, 1946

APPROXIMATE MEAN  
DECLINATION, 1947

Scale 24000  
1:24000  
2 Miles  
10000 Feet  
2 Kilometers

Contour interval 40 feet  
Datum is mean sea level

FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.  
AND U. S. TENNESSEE VALLEY AUTHORITY, CHATTANOOGA OR KNOXVILLE, TENN.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Reproduced by the U. S. Coast and Geodetic Survey 1957  
USGS  
Historical File  
Topographic Division

Polyconic projection. 1927 North American datum  
10,000 foot grid based on North Carolina  
rectangular coordinate system

U.S.G.S.  
FILE COPY  
TOPOGRAPHIC DIVISION

ROUTES USUALLY TRAVELED  
HARD IMPROVED SURFACES  
OTHER SURFACE IMPROVEMENTS  
U. S. ROUTE STATE ROUTE

PRENTISS, N.C.  
167-SW  
N3500 W8322 5/7.5  
1946

U.S.G.S.  
FILE COPY  
TOPOGRAPHIC DIVISION