



Control by USC&GS, USGS, and TVA
Topography by Geological Survey from aerial
photographs by stereophotogrammetric methods
Field examination by Tennessee Valley Authority-1941

MN
GN
1°03' 19 MILS
UTM GRID AND 1941 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

SCALE 1:24,000
CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
U. S. TENNESSEE VALLEY AUTHORITY,
CHATTANOOGA, TENN. 37401 OR KNOXVILLE, TENN. 37902
AND TENNESSEE DIVISION OF GEOLOGY, NASHVILLE, TENN. 37219
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Polycyclic projection. 1927 North American datum
10,000 foot grid based on North Carolina
rectangular coordinate system
1000-metre Universal Transverse Mercator grid ticks,
zone 17, shown in blue
ROUTES USUALLY TRAVELED
HARD, IMPERVIOUS SURFACES
OTHER SURFACE IMPROVEMENTS
U. S. ROUTE
STATE ROUTE

SANDYMUSH, N. C.
183-NE
N3537.5 W8245/7.5
1941
AMS 4455 III NE--SERIES V842

USGS
Historical File
Topographic Division

NOV 0 2 1976