




Produced by the United States Geological Survey
Topography compiled 1964. Planimetry derived from imagery taken 1958 and other sources. Survey control current as of 1966
North American Datum of 1983 (NAD 83). Projection and 1 000-meter grid: Universal Transverse Mercator, zone 17 2 500-meter ticks: North Carolina Coordinate System of 1983
North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software
Landmark buildings verified 1966



CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048



ROAD CLASSIFICATION

Primary highway hard surface Light-duty road, hard or improved surface
Secondary highway hard surface Unimproved road
Interstate Route U.S. Route State Route

1	2	3	1 Baldwin Gap
2	3	4	2 Warrenville
3	4	5	3 Jefferson
4	5	6	4 Zionsville
5	6	7	5 Glendale Springs
6	7	8	6 Boone
7	8		7 Deep Gap
8			8 Maple Springs

RECEIVED
FEB 29 2000

U.S. GEOLOGICAL SURVEY
HISTORICAL MAP ARCHIVES
TODD, NC
1998

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ADJOINING 7.5' QUADRANGLE NAMES

NIMA 4651 SE-SERIES V842

