



Produced by the United States Geological Survey
Derived from imagery taken 1971 and other sources. Photoinspected using imagery taken 1997; no major culture or drainage changes observed. Survey control current as of 1972. Boundaries, other than corporate, verified 2000.
North American Datum of 1927 (NAD 27). Projection and 10 000-foot ticks: North Carolina coordinate system (Lambert conformal conic).
1000-meter Universal Transverse Mercator grid, zone 17.
North American Datum of 1983 (NAD 83) is shown by dashed corner ticks. The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.



CONTOUR INTERVAL 20 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION

Primary highway hard surface	Light-duty road, hard or improved surface
Secondary highway hard surface	Unimproved road
Interstate Route	U.S. Route
	State Route

1	2	3	1 Southeast Eden
			2 Ruffin
			3 Park Spring
4	5	6	4 Redoubt
			5 Cherry Grove
			6 Browns Summit
6	7	8	7 Osage
			8 Lake Burlington

ADJOINING 7.5' QUADRANGLE NAMES

WILLIAMSBURG, NC
1997

NIMA 5056 1 SE-SERIES V842

RECEIVED
AUG 31 2000
USGS NAD
HISTORICAL MAP ARCHIVES

