



Prepared by the Army Map Service (AMS), Corps of Engineers, U. S. Army, Washington, D. C. Compiled in 1953 by photogrammetric methods and from: United States Quadrangles, 1:24,000, 1:62,500, 1:100,000, 1:125,000, U. S. Geological Survey, Corps of Engineers, 1905-50; County Highway Maps, 1943-49. Planimetric detail revised by photogrammetric methods. Control by USGS and CE. Map field checked, 1953.

LEGEND

ROAD DATA 1953
Figures in red denote approximate distances in miles between stars

POPULATED PLACES

Over 500,000	100,000 to 500,000	25,000 to 100,000	5,000 to 25,000	1,000 to 5,000	Less than 1,000
Standard gauge	Narrow gauge	Standard gauge	Narrow gauge	Standard gauge	Narrow gauge
Standard gauge	Narrow gauge	Standard gauge	Narrow gauge	Standard gauge	Narrow gauge

BOUNDARIES

International	State	County	Park or reservation
---------------	-------	--------	---------------------

Landmarks: School; Church; Other, etc.

Horizontal control point	Spot elevation in feet	Marsh or swamp	Intermittent or dry stream	Power line
--------------------------	------------------------	----------------	----------------------------	------------

Other symbols:

Scale 1:250,000

0 5 10 15 20 25 30 Statute Miles

0 5 10 15 20 25 30 Kilometers

0 5 10 15 20 25 30 Nautical Miles

CONTOUR INTERVAL 100 FEET WITH SUPPLEMENTARY CONTOURS AT 50 FOOT INTERVALS



TRANSVERSE MERCATOR PROJECTION

100,000-FOOT GRID TICKS, NORTH CAROLINA PLANE COORDINATE SYSTEM AND SOUTH CAROLINA PLANE COORDINATE SYSTEM, NORTH ZONE, SHOWN IN BLACK

10,000-METER GRID TICKS, UNIVERSAL TRANSVERSE MERCATOR SYSTEM, ZONE 17, SHOWN IN BLUE

1950 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 1°00' WESTERLY FOR THE CENTER OF THE WEST EDGE TO 2°30' WESTERLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 0°01' EASTERLY.

FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.



USGS
Historical File
Topographic Division

HISTORICAL

5095

CHARLOTTE, N. C.; S. C.