

Mapped, edited, and published by the Geological Survey


Control by USGS and USC&GS

Planimetry by photogrammetric methods from aerial photographs taken 1954. Topography by planimeter surveys 1951


Polyconic projection. 1927 North American datum 10,000-foot grid based on North Dakota coordinate system, south zone-1000-meter Universal Transverse Mercator grid ticks, zone 14, shown in blue

Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked

Revisions shown in purple compiled from aerial photographs taken 1971. This information not field checked



CONTOUR INTERVAL 5 FEET
DATUM IS MEAN SEA LEVEL



ROAD CLASSIFICATION
Medium-duty ——— Light-duty - - - - -
Unimproved dirt ······

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D. C. 20242
AND BY THE STATE WATER COMMISSION, BISMARCK, NORTH DAKOTA 58501
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

CASSELTON SE, N. DAK.
N 4645—W 9700/7.5
1961
PHOTOREVISED 1971
AMS 6577 1 SE—SERIES V871

2860