

Projection and 10,000-foot grid ticks: North Dakota coordinate system, south zone (Lambert conformal conic) 1000-meter Universal Transverse Mercator grid ticks, zone 13, shown in blue. 1927 North American datum

Fine red dashed lines indicate selected fence lines

UTM GRID AND 1973 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

1 KILOMETER hard surface Unimproved road CONTOUR INTERVAL 20 FEET Interstate Route U. S. Route State Route NATIONAL GEODETIC VERTICAL DATUM OF 1929 NORTH DAKOTA . HEBRON, N. DAK. N4652.5-W10200/7.5 QUADRANGLE LOCATION THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS USCS FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092 AND BY THE STATE WATER COMMISSION, BISMARCK, NORTH DAKOTA 58501 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST Historical File 1973 Topographic Division AMS 5577 I NE-SERIES V871

2560 OCT 21 1977