**UNITED STATES** LYMAN QUADRANGLE DEPARTMENT OF THE INTERIOR **NEBRASKA-WYOMING GEOLOGICAL SURVEY** 7.5-MINUTE SERIES (TOPOGRAPHIC) 104°00′00″ 42°00′00″ 4650 104 °07′ 30″ 42°00′ 00″ 578 R 60 W R 58 W 579 2' 30" 5' 00" 1750 000 FEET (NEB.) 810 000 FEET (WYØ.);| GOSH 880 000 FEET (NEB.) 4649 RIVER 4648000mN 12 480 000 FEET 4024 4034 16 15 Gaging Sta LOCATION 4646 Historical Site 57**′** 30**″** 57' 30" 4845 23 24 22 4122 4644 4644 4030 25 4642 Rattlesnake 33 4641 Canal 💭 55' 00" 55' 00" 23 N T 23 N 22 N T 22 N Athletic 4050 4640 4639 450 000 FEET (WYØ. JUN 1 6 1995 10 11 4638 1 840 000 FEET (NEB.) 4637 4637000mN 13 Table 41 °52′ 30″ 104 °00′ 00″ 41 °52′ 30″ 104 °07′ 30″ 577 578 770 000 FEET (NEB.) R 60 W R 58 W 579 580 581 000mE 5' 00" 2" 30" INTERIOR - GEOLOGICAL SURVEY, RESTON, VIRGINIA - 1995 SCALE 1:24 000 Produced by the United States Geological Survey ROAD CLASSIFICATION Control by USGS and NOS/NOAA Compiled from imagery dated 1960. Revised from imagery dated 1990. PLSS and survey control current as of 1960 Map edited 1995. Contours and land elevations have not been revised and may conflict with other content Primary highway Light-duty road, hard or METERS NEBRASKA hard surface ...... Secondary highway North American Datum of 1927 (NAD 27). Projection and blue 1000-meter ticks: Universal Transverse Mercator, zone 13 10 000-foot ticks: Nebraska Coordinate System, south zone and Wyoming Coordinate System, east zone 10½° 5000 6000 7000 8000 9000 10000 Interstate Route U.S. Route State Route 0°38′ 187 MILS QUADRANGLE LOCATION 11 MILS North American Datum of 1983 (NAD 83) is shown by dashed corner ticks. The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software **CONTOUR INTERVAL 20 FEET** 1 2 3 1 Torrington SE 3 Dry Sheep Creek SUPPLEMENTARY CONTOUR INTERVAL 10 FEET UTM GRID AND 1995 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET NATIONAL GEODETIC VERTICAL DATUM OF 1929 TO CONVERT FEET TO METERS MULTIPLY BY 0.3048 Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked 4 Huntley 5 Morrill TO CONVERT METERS TO FEET MULTIPLY BY 3.2808 LYMAN, NE-WY 41104-H1-TF-024 6 Duroc THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS 7 Robb Draw 6 7 8 8 Stegall FOR SALE BY U.S. GEOLOGICAL SURVEY 1990 DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092

A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ADJOINING 7.5' QUADRANGLE NAMES



DMA 5167 I NE-SERIES V874