UNITED STATES WILSONVILLE QUADRANGLE DEPARTMENT OF THE INTERIOR NEBRASKA—KANSAS GEOLOGICAL SURVEY 7.5 MINUTE SERIES (TOPOGRAPHIC) 100°07′30″ 40°07′30″ 405000m.E. 100°00′ 13 MI. TO U.S. 6 & 34 ↑ R. 24 W. 1 850 000 FEET 40°07′30″ 4441000m.N. WILSONSVILLE Wilsonville (BM 2304) CHICAGO 2262 26 YN D FEET T. 2 N. T. 1 N. ×2482 0 S H E R M A N 2′30″ 19 × 2494 23 22 FEET 35 4429000m.N. 32 × 2389 2399 FURNAS COBM NORTON CO 2435 C R Y S 2 T A L NEBRASKA KANSAS ·FURNAS CO NORTON CO 5 ROCK RAANCH 16/1 40°00′ REAGER 12 MI. 414000m.E. MR 3615 100°00' (NORCATUR 1:62500) R. 25 W. R. 24 W. Mapped, edited, and published by the Geological Survey SCALE 1:24000 as part of the Department of the Interior program ROAD CLASSIFICATION for the development of the Missouri River Basin Control by USGS and USC&GS 2000 3000 4000 5000 6000 7000 FEET 1 KILOMETER USGS Aerial photographs taken 1950. Field check 1957 Historical File Polyconic projection. 1927 North American datum CONTOUR INTERVAL 10 FEET 10,000-foot grid based on Nebraska coordinate system, south zone NEBRASKA Topographic Division DATUM IS MEAN SEA LEVEL 1000-meter Universal Transverse Mercator grid ticks, QUADRANGLE LOCATION WILSONVILLE, NEBR.—KANS. zone 14, shown in blue APPROXIMATE MEAN DECLINATION, 1957 U.S.G.S. N 4000—W 10000/7.5 THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER 2, COLORADO OR WASHINGTON 25, D.C. AUG 2 7 1958 1957 AND BY THE STATE GEOLOGICAL SURVEY, LAWRENCE, KANSAS A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST 2320