



## PRODUCED BY THE U. S. GEOLOGICAL SURVEY

Base map prepared by Defense Mapping Agency by photogrammetric methods and from 1:62,500-scale maps dated 1934 and 1935. Field checked 1954 and 1955. Revised by the U. S. Geological Survey from aerial photographs taken 1974-1978 and other source data. Revised information not field checked. Map edited 1981.

Areas covered by dashed light-blue pattern are subject to controlled inundation.

Transverse Mercator Projection. 10,000-meter Universal Transverse Mercator grid, zone 14. 100,000-foot grid ticks based on Nebraska coordinate system, south zone, 1927 North American Datum. To place on the predicted North American Datum 1983, move the projection lines 4 meters north and 27 meters east.

Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram.

There may be private inholdings within the boundaries of the National or State reservations shown on this map.

## POPULATED PLACES

Over 500,000  
100,000 to 500,000  
25,000 to 100,000  
5,000 to 25,000  
1,000 to 5,000  
Less than 1,000

## RAILROADS

Standard gauge  
Narrow gauge  
International  
State  
County  
Park or reservation

## ROADS

Primary, all-weather, hard surface  
Secondary, all-weather, hard surface  
Light-duty, all-weather, hard or improved surface  
Fair or dry weather, unimproved surface  
Grand Coulee interchange  
Sun Valley

## LANDMARKS

Landmark airport  
Landing area  
Seaplane airport  
Dry Lake  
Woods-brushwood

## LEGEND

Figures in red denote approximate distances in miles between stars

## ROUTE MARKERS

Interstate, U.S., State  
Landmark: School, Church, Other, etc.  
Spot elevation in feet  
Marsh or swamp  
Intermittent or dry stream  
Power line

## SCALE

Scale 1:250,000  
0 5 10 15 20 25 30 Statute Miles  
0 5 10 15 20 25 30 Kilometers

## CONTOUR INTERVAL 50 FEET

1981 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 8° (142 MILES) EASTERLY FOR THE CENTER OF THE WEST EDGE TO 6° (120 MILES) EASTERLY FOR THE CENTER OF THE EAST EDGE

## LOCATION DIAGRAM

LOCATION DIAGRAM  
NEBRASKA  
KANSAS  
MISSOURI  
IOWA  
SOUTH DAKOTA  
NEBRASKA  
KANSAS  
MISSOURI  
IOWA  
SOUTH DAKOTA

## SECTIONIZED TOWNSHIP

SECTIONIZED TOWNSHIP  
6 5 4 3 2 1  
7 8 9 10 11 12  
13 14 15 16 17 18  
19 20 21 22 23 24  
25 26 27 28 29 30  
31 32 33 34 35 36

## GRID ZONE DESIGNATION

GRID ZONE DESIGNATION  
14T  
100,000 M. SQUARE IDENTIFICATION  
NA PA QA  
NV PV QV  
40 10  
40 10

## TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 1000 METERS

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 1000 METERS  
1. Read letters identifying 100,000 meter square in which the point lies.  
2. Read the horizontal and vertical grid numbers of the point and read LARGE figure labeling the line either in the top or bottom margin, or on the line itself.  
3. Locate first HORIZONTAL grid line BELOW point and read LARGE figure labeling the line either in the left or right margin, or on the line itself.  
4. Estimate tenths from grid line to point.

## FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092

## LINCOLN, NEBRASKA; KANSAS

LINCOLN, NEBRASKA; KANSAS  
1955  
REVISED 1981

## RECD FILE COPY

RECD FILE COPY  
JUN 25 1986  
USGS MIN. HISTORICAL MAP