



Prepared by the Army Map Service (AMS), Corps of Engineers, U.S. Army, Washington, D.C. Compiled in 1955 by photogrammetric methods and from United States Quadrangles, 1:24,000, USGS, 1948-50. Planimetric detail revised by photogrammetric methods. Horizontal and vertical control by USGS. USGS. Photography used associated 1955.


100,000-foot grid based on Nebraska coordinate system, north zone and South Dakota coordinate system, south zone

10,000-meter Universal Transverse Mercator grid ticks, zone 14, shown in blue




1955 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 11°30' EASTERLY FOR THE CENTER OF THE WEST EDGE TO 10°15' EASTERLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 0°02' WESTERLY.

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225 OR WASHINGTON, D. C. 20242



RELIABILITY DIAGRAM



U.S.G.S.

FILE COPY

TOPOGRAPHIC DIVISION

USGS

Historical File

Topographic Division

SECTIONED TOWNSHIP	6	5	4	3	2	1
	7	8	9	10	11	12
	18	17	16	15	14	13
	19	20	21	22	23	24
	30	29	28	27	26	25
	31	32	33	34	35	36

O'NEILL, NEBRASKA, SOUTH DAKOTA

FEB 20 1959