



71° 15' W
44° 00' N
TANWORTH 1 MI.
CONCORD 20 MI.
MERIDITH 20 MI.
2400 000 YARDS
71° 15' W
43° 45' N

71° 00' W
44° 00' N
PORTLAND 60 MI.
PORTER 4 MI.
SIDDEFORD 40 MI.
Miles
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

Topography by D.H. Watson, J.M. Rawls, G.E. Sisson, W.C. Thompson, F.H. Sargent, and H.B. Smith. Culture and drainage in part compiled from aerial photographs taken by Air Corps, U.S. Army Control by U.S. Geological Survey and U.S. Coast and Geodetic Survey. Surveyed in 1927.

APPROXIMATE MEAN DECLINATION, 1927

Scale 62500
1 inch = 1 mile
1:62,500
0 1 2 3 4 Miles
0 5000 10000 15000 20000 Feet
0 5 10 15 20 Kilometers
Contour interval 20 feet
Datum is mean sea level

Polyconic projection. North American datum. 5000 yard grid based upon U.S. zone system. A

HARD IMPERVIOUSLY SURFACED ROADS
OTHER MAIN TRAVELED ROADS
OCT. 1929

OSSISPEE LAKE, N.H.
Edition of 1930
2676-1750-199

MAR 20 1930 (2420)

U.S. GEOLOGICAL SURVEY
Historical File
Topographic Division

2420