




Mapped, edited, and published by the Geological Survey  
Control by USC&GS and New Jersey Geodetic Survey  
Culture and drainage in part compiled from aerial photographs taken 1954. Topography by planetable surveys 1957  
Hydrography compiled from USC&GS chart 1218 (1955)  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on New Jersey coordinate system  
1000-meter Universal Transverse Mercator grid ticks, zone 18, shown in blue  
Fine red dashed lines indicate selected fence and field lines visible on aerial photographs. This information is unchecked  
There may be private inholdings within the boundaries of the National or State reservations shown on this map  
Map photoinspected 1977  
No major culture or drainage changes observed



CONTOUR INTERVAL 5 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929  
DEPTH CURVES AND SOUNDINGS IN FEET-DATUM IS MEAN LOW WATER  
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE  
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER  
THE MEAN RANGE OF TIDE IS APPROXIMATELY 5.6 FEET  
THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



Revisions shown in purple compiled from aerial photographs taken 1972. This information not field checked.

HEISLERVILLE, N. J.  
N3907.5-W7452.5/7.5  
PHOTOINSPECTED 1977  
1957  
PHOTOREVISED 1977  
AMS 6062 III NW-SERIES V822

USGS NWID RESEARCH CENTER  
NOV 25 1983  
REFERENCE COLLECTION

ONE HARBOR  
6062 III SE