

10 000-foot ticks: New Jersey coordinate system (Lambert conformal conic) 1000-meter Universal Transverse Mercator grid, zone 18 North American Datum of 1983 (NAD 83) is shown by dashed corner ticks. The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software There may be private inholdings within the boundaries of the National or State reservations shown on this map Information shown in purple may not meet USGS content standards and may conflict with previously mapped contours

0°02′ 213 MILS 1 MIL UTM GRID AND 1998 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

> THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

FEET

CONTOUR INTERVAL 10 FEET NATIONAL GEODETIC VERTICAL DATUM OF 1929 TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048



QUADRANGLE LOCATION

158N 0-607-897265 NIMA 5962 I NE-SERIES V822

U.S. Route State Route

MILLVILLE, NJ

1997