


Topography by Max J. Gleissner, S. T. Penick, M. C. McClellan,
C. E. Walker, R. E. Isto, R. E. Mann, W. A. McLaughlin,
D. F. C. Moor, and N. B. Wright
U. S. POTASH CO. MINE 1.3 MI.
2.3 MI. TO U. S. 285

ROAD CLASSIFICATION
HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS
Heavy-duty LANE'S LANE Improved dirt
Medium-duty LANE'S LANE Unimproved dirt
Loose-surface, graded, or narrow hard-surface
U. S. Route State Route

TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN
DECLINATION, 1939



Contour interval 10 feet
Datum is mean sea level

USGS
Historical File
Topographic Division
U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION

Polyconic projection. 1927 North American datum
10000 foot grid based on New Mexico (East)
rectangular coordinate system
1000-meter Universal Transverse Mercator grid
ticks, zone 13, shown in blue
CLAYTON BASIN, N. MEX.

N 3230-W 10345/15
1942

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER 2, COLORADO OR WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

NOV 26 1957
2910