



V502, EDITION 3
 Prepared by the U.S. Army Topographic Command (KCSX), Washington, D.C. Compiled in 1956 by photogrammetric methods from aerial photographs taken 1952-54. Photographs field annotated 1956. Revised by the U.S. Geological Survey 1970.
 Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram.

LEGEND

POPULATED PLACES
 Over 500,000
 100,000 to 500,000
 25,000 to 100,000
 5,000 to 25,000
 1,000 to 5,000
 Less than 1,000

ROADS
 Primary, all-weather, hard surface
 Secondary, all-weather, hard surface
 Light-duty, all-weather, hard or improved surface
 Fair or dry weather, unimproved surface
 Trail
 Grand Coulee
 Sun Valley
 Route markers: Interstate, U.S., State, M , D , R

RAILROADS
 Standard gauge
 Narrow gauge
 International
 State
 County
 Park or reservation

BOUNDARIES
 International
 State
 County
 Park or reservation

Other features:
 Landplane airport
 Landing area
 Seaplane airport
 Seaplane anchorage
 Woods-brushwood
 Landmarks: School, Church, Other, W , M , S , E
 Windmill; Mine
 Spot elevation in feet
 Marsh or swamp
 Intermittent or dry stream
 Power line

Scale 1:250,000
 0 5 10 15 20 25 30 Statute Miles
 0 5 10 15 20 25 30 Kilometers
 0 5 10 15 20 25 Nautical Miles

CONTOUR INTERVAL 200 FEET
 WITH SUPPLEMENTARY CONTOURS AT 100 FOOT INTERVALS
 TRANSVERSE MERCATOR PROJECTION
 BLACK NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 11
 1970 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 16' (280 MILS) WESTERLY FOR THE CENTER OF THE WEST EDGE TO 15' (280 MILS) EASTERLY FOR THE CENTER OF THE EAST EDGE.
 FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20242

LOCATION DIAGRAM

NK 1110	NK 1111	NK 1112	NK 1113	NK 1114
NK 1115	NK 1116	NK 1117	NK 1118	NK 1119
NK 1120	NK 1121	NK 1122	NK 1123	NK 1124
NK 1125	NK 1126	NK 1127	NK 1128	NK 1129

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS
 SAMPLE POINT: CURBAR

SECTIONIZED TOWNSHIP

6	5	4	3	2	1
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS
 SAMPLE POINT: CURBAR

GRID ZONE DESIGNATION: 11S
100,000 M. SQUARE IDENTIFICATION: PP, PN, QP, QN

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS
 SAMPLE POINT: CURBAR

TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS
 SAMPLE POINT: CURBAR

USGS HISTORICAL FILE
 1956
 REVISED 1970

STOCK NO. V502XN116***03

DMA 8000
JAN 12 1973