



Produced by the United States Geological Survey
Topography compiled 1952. Planimetry derived from imagery taken 1994 and other sources. Survey control current as of 1953 North American Datum of 1983 (NAD 83). Projection and 1000-meter grid: Universal Transverse Mercator, zone 18 2500-meter ticks: New York Coordinate System of 1983 (east zone) North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software
Landmark buildings verified 1953

UTM GRID AND 1999 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

SCALE 1:24 000

1 000 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 6500 7000 7500 8000 8500 9000 9500 10000

1 000 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 6500 7000 7500 8000 8500 9000 9500 10000

CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048
DEPTH CURVES AND SOUNDINGS IN FEET. DATUM IS MEAN LOWER LOW WATER
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE
THE MEAN RANGE OF TIDE IS APPROXIMATELY 4.4 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION

Primary highway Light-duty road, hard or hard surface
Secondary highway Improved surface
Unimproved road
Interstate Route U.S. Route State Route

| | | | |
|---|---|---|------------------|
| 1 | 2 | 3 | 1 Schenectady |
| 4 | 5 | 6 | 2 Niskayuna |
| 6 | 7 | 8 | 3 Troy North |
| | | | 4 Voorheesville |
| | | | 5 Troy South |
| | | | 6 Claverette |
| | | | 7 Delmar |
| | | | 8 East Greenbush |

ALBANY, NY
1994

NIMA 6269 III NE-SERIES V821

RECEIVED
NOV 3 0 2000
USGS NWED
HISTORICAL MAP ARCHIVES

