



Mapped, edited, and published by the Geological Survey  
Control by USGS, USCGS, USCE, U. S. Lake Survey, TVA, and  
International Boundary Commission  
U. S. Topography from aerial photographs by photogrammetric  
methods. Aerial photographs taken 1957. Field check 1958  
Canadian topography from Canadian Department of  
National Defense maps (1937)  
Hydrography compiled from U. S. Lake Survey chart 15 (1956)  
Polyconic projection. 1927 North American datum  
10,000-foot grids based on New York coordinate system,  
east and central zones  
1000-meter Universal Transverse Mercator grid ticks,  
zone 18, shown in blue  
Fine red dashed lines indicate selected fence and field lines  
visible on aerial photographs. This information is unchecked  
Unchecked elevations are shown in brown

TRUE NORTH  
MAGNETIC NORTH  
APPROXIMATE MEAN  
DECLINATION, 1958

SCALE 1:24,000  
1 1000 0 1000 2000 3000 4000 5000 6000 7000 FEET  
1 1 5 0 1 KILOMETER  
CONTOUR INTERVAL 10 FEET IN THE UNITED STATES AND 25 FEET IN CANADA  
DATUM IS MEAN SEA LEVEL  
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS LOW WATER 244 FEET

THE U. S. PORTION OF THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS  
Historical File  
Topographic Division

ROAD CLASSIFICATION  
Heavy-duty ——— Light-duty ———  
Medium-duty ——— Unimproved dirt ———  
State or Provincial Route

CHIPPEWA BAY, N. Y.  
NE/4 ALEXANDRIA BAY 15' QUADRANGLE  
N 4422.5 - W 7545/7.5

1958

OCT 14 1950  
2580