



Mapped, edited, and published by the Geological Survey
Control by USGS, USC&GS, and International Boundary Commission
Topography by photogrammetric methods from aerial
photographs taken 1963. Field checked 1964
Canadian portion mapped by the Surveys and Mapping Branch,
Dept. of Mines and Technical Surveys 1964
Selected hydrographic data compiled from U. S. Lake Survey Chart 12 (1962)
This information is not intended for navigational purposes
Polyconic projection. 1927 North American datum
10,000-foot grid based on New York coordinate system, east zone
1000-meter Universal Transverse Mercator grid ticks,
zone 18, shown in blue
Fine red dashed lines indicate selected fence and field lines where
generally visible on aerial photographs. This information is unchecked

UTM GRID AND 1964 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

SCALE 1:24,000
CONTOUR INTERVAL 10 FEET
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET-DATUM IS RIVER SURFACE AT FOLLOWING STAGES:
BELOW IROQUOIS LOCK 239.7 FEET AND ABOVE EISENHOWER LOCK 237.5 FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
Historical File
Topographic Division



ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
State Route ———

U.S.G.S.

FILE COPY
TOPOGRAPHIC DIVISION

LOUISVILLE, N. Y.-ONT.
NE/4 WASHINGTON 15' QUADRANGLE
N4452.5-W7500/7.5

1964
AMS 5973 1 NE-SERIES V821

3125
MAY 25 1966