


Mapped, edited, and published by the Geological Survey
Control by USC&GS, U. S. Lake Survey, TVA, and International
Boundary Commission
Culture and drainage in part compiled from aerial photographs
taken 1957. Topography by planimetric surveys 1958
Canadian portion furnished by Canadian Department of
National Defence (1957)
Hydrography compiled from U. S. Lake Survey chart 17 (1956)
Polyconic projection. 1927 North American datum
10,000-foot grid based on New York coordinate system,
central zone.
1000-meter Universal Transverse Mercator grid ticks,
zone 18, shown in blue
Fine red dashed lines indicate selected fence and field lines where
generally visible on aerial photographs. This information is unchecked



SCALE 1:24,000
1 1000 2000 3000 4000 5000 6000 7000 FEET
1 5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 METERS
CONTOUR INTERVAL 10 FEET IN THE UNITED STATES AND 25 FEET IN CANADA
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS LOW WATER 244 FEET
THE U. S. PORTION OF THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
Historical File
Topographic Division



ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
State or Provincial Route

SAINT LAWRENCE, N. Y.
NW 1/4 CLAYTON 15' QUADRANGLE
N 44°07'30" W 76°07'30"

1958

USGS MAP - 2 1961
FILE COPY
TOPOGRAPHIC DIVISION

3 030