



Fe

To convert feet to meters
multiply by .3048

To convert meters to feet
multiply by 3.2808

MAP AND AIR PHOTO
LIBRARY

SEP 29 1980

University of Wisconsin
Madison

Control by USGS and NOS/NOAA

Topography by photogrammetric methods from aerial photographs taken 1972. Field checked 1973. Map edited 1979

Supersedes 1:24 000-scale map dated 1965

Projection and 10,000-foot grid ticks: New York coordinate system, west zone (Transverse Mercator)

1000-meter Universal Transverse Mercator grid, zone 17

1927 North American datum

To place on the predicted North American Datum 1983 move the projection lines 2 meters south and 21 meters west as shown by dashed corner ticks

Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unclassified

5270 II SE
SCALE 1:25 000




CONTOUR INTERVAL 5 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

702
ROAD CLASSIFICATION

Primary highway, hard surface _____ Light-duty road, hard or improved surface _____

Secondary highway, hard surface _____ Unimproved road _____

 Interstate Route  U. S. Route  State Route

GASPORT, N. Y.
NE/4 LOCKPORT 15' QUADRANGLE
N4307.5—W7830/7.5

1979

DMA 5270 II NE-SERIES V821