

Prepared by the Army Map Service (KGE), Corps of Engineers, U. S. Army, Washington, D. C. Compiled in 1961 by photogrammetric methods from United States Quadrangles, 1:24,000, 1:25,000, U. S. Geological Survey and AMS, 1942-1955. Army Survey Establishments; USGS Charts 3, 31, 32, 33 1953-1957. Planimetric detail revised by photo-planimetric methods. Horizontal and vertical control by USCG&S, USGS, USCE, International Boundary Commission and Buffalo-Rochester-Pittsburgh Railroad. Map field checked 1962.

Transverse Mercator Projection, 10,000-meter Universal Transverse Mercator grid, zone 17. 100,000-foot grid ticks based on New York coordinate system, west zone and Pennsylvania coordinate system, north zone, 1927 North American datum. To place on the predicted North American Datum 1983 move the projection lines 2 meters south and 20 meters west.

There may be private inholdings within the boundaries of the National or State reservations shown on this map.

LEGEND

ROAD DATA 1962
 Figures in red denote approximate distances in miles between starts

POPULATED PLACES

Over 500,000
 100,000 to 500,000
 25,000 to 100,000
 5,000 to 25,000
 Less than 1,000

RAILROADS
 Single track Double or Multiple track
 Normal gauge
 Narrow gauge


BOUNDARIES
 International
 State
 County
 Park or reservation
 Horizontal control point
 Spot elevation in feet
 Landmark: School; Church; Other

Other Symbols:
 Hard surface, heavy duty road
 More than two lanes wide
 Hard surface, medium duty road
 More than two lanes wide
 Two lanes wide
 Improved light duty road
 Unimproved dirt road, Trail
 Route marker: Interstate; Federal; State
 Road interchange
 Depth curve in feet
 Limit of danger: Reef
 Rocks: Awash; Sunken
 Foreshore flat
 Intermittent or dry stream
 Marsh or swamp
 Navigable canal or stream

3 LANE & 2 LANE LINES

Bar Harbor



FIREFISH



CONTOUR INTERVAL 100 FEET
 WITH SUPPLEMENTARY CONTOURS AT 50 FOOT INTERVALS

1960 MAGNETIC DECLINATION FROM TRUE NORTH FOR THIS SHEET VARIES FROM 5 1/2° (120 MILES) WESTERLY FOR THE CENTER OF THE WEST EDGE TO 8° (140 MILES) WESTERLY FOR THE CENTER OF THE EAST EDGE

FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092



GRID ZONE DESIGNATION 100,000 M SQUARE IDENTIFICATION		TO GIVE A STANDARD REFERENCE ON THIS SHEET TO MARKET 1000 METERS	
17	6	17	6
NS	PS	OS	PS
1. Read letters identifying 100,000 meter square in which the point lies.		2. Locate first VERTICAL grid line to LEFT of point and read LARGE figure labeling the line either in the top or bottom margin, or on the line itself.	
3. Locate first HORIZONTAL grid line BELOW point and read LARGE figure labeling the line either in the left or right margin, or on the line itself.		Estimate tenths from grid line to point.	
IGNORE THE SMALLER figures of any grid number; these are for finding the full coordinates. Use ONLY the LARGER figure of the grid number. example: 4600000		SAMPLE REFERENCE: PS8893 If reporting beyond 10' in any direction, prefix Grid Zone Designation, as: 17PS8893	