



V501, EDITION 4

Prepared by the U.S. Army Topographic Command (RMDV), Washington, D.C. Compiled in 1955 from United States quadrangles, 1:24,000, 1:25,000, 1:31,680, 1:50,000, and 1:62,500, 1891-1950. Planimetry revised in part from aerial photographs taken 1947-53. Map field checked 1956. Revised in 1972 by the U.S. Geological Survey from aerial photographs taken 1972.

Area covered by dashed blue pattern is subject to controlled inundation.


100,000-foot grids based on Vermont coordinate system, New York coordinate system, east zone, and New Hampshire coordinate system.

Location of geodetic control established by government agencies is shown on corresponding 1:250,000-scale Geodetic Control Diagram.

## LEGEND

Figures in red denote approximate distances in miles between stars

POPULATED PLACES	ROADS
Over 500,000	Primary, all-weather, hard surface
100,000 to 500,000	Secondary, all-weather, hard surface
25,000 to 100,000	Light-duty, all-weather, hard or improved surface
5,000 to 25,000	Fair or dry weather, unimproved surface
1,000 to 5,000	Trail
Less than 1,000	Interchange
RAILROADS	Route markers: Interstate, U.S., State
Standard gauge	Interstate, U.S., State
Narrow gauge	Interstate, U.S., State
BOUNDARIES	Landmark: School; Church; Other: $\nabla$ $\nabla$ $\nabla$
International	Power line; Mine
State	Spot elevation in feet
County	Marsh or swamp
Park or reservation	Intermittent or dry stream
	Orchard




CONTOUR INTERVAL 100 FEET  
TRANSVERSE MERCATOR PROJECTION

BLACK NUMBERED LINES INDICATE THE 10,000 METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 18

1970 MAGNETIC DECLINATION FROM TRUE NORTH VARIES FROM 13°15' (240 WILDS) WESTERLY FOR THE CENTER OF THE WEST EDGE TO 10°45' (230 WILDS) WESTERLY FOR THE CENTER OF THE EAST EDGE

FOR SALE BY U.S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092

## LOCATION DIAGRAM



RETURN TO:  
USGS NHD HISTORICAL MAP ARCHIVES

GRID ZONE DESIGNATION	TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 100 METERS
18T	SAMPLE POINT: TOWNSHIPS
18T	1. Read letters identifying 100,000 meter square in which the point lies.
18T	2. Locate first VERTICAL grid line to LEFT of point and read LARGE figure labeling the line either in the top or bottom margin, or on the line itself.
18T	3. Locate first HORIZONTAL grid line to point and read LARGE figure labeling the line either in the left or right margin, or on the line itself.
18T	4. Estimate meters from grid line to point.
18T	5. If reporting beyond 10' in any direction, prefix Grid Zone Designation.
18T	6. Example: 4770000

GLENS FALLS, N.Y.; VT.; N.H.  
1956  
REVISED 1972

STOCK NO. V501NK183\*\*04