



6 Miles
5
4
3
2
1
0
1
2
3
4
5
6 Miles

41°22'30" 74°22'30" 22' 875 000 NEW MILFORD 876 21' 877 20' 878 19' 879 18' 880 17' 881 16' 882 15' 883 14' 884 13' 885 12' 41°15'00"

ROAD CLASSIFICATION 1943
Dependable hard-surface, heavy-duty road
Loose-surface graded, dry weather road
Secondary hard-surface, all-weather road
Dirt road
State Route
U.S. Route
3 LANE | 4 LANE

1 1000 500 0 1000 2000 Yards
1 Mile

CONTOUR INTERVAL 20 FEET
DATUM IS MEAN SEA LEVEL

THOUSAND YARD GRID COMPUTED FROM GRID SYSTEM FOR PROGRESSIVE MAPS IN THE U. S. "ZONE" A, U. S. C. & G. S. SPECIAL PUBLICATION NO. 59
THE LAST THREE DIGITS OF THE GRID NUMBERS ARE OMITTED
NEW YORK STATE GRID ZONE EAST IS INDICATED BY DOTTED TICKS OUTSIDE THE NEAT LINE AT 5000 FT. INTERVALS.
NOTE: OFFICERS USING THIS MAP WILL WANT PERSON CORRECTIONS AND ADDITIONS WHICH COME TO THEIR ATTENTION AND MAIL DIRECT TO "THE CHIEF OF ENGINEERS, WASHINGTON, D. C."

USGS
Historical File
Topographic Division



Use diagram only to obtain numerical values. To determine magnetic north line, connect the point "M" on the south edge of the map with the value of the angle between grid and magnetic north, as plotted on the degree scale of the north edge of the map.

WARWICK, N. Y.
N4115-W7415/7.5

U.S. G.S.
FILE COPY
Inspection and Engrg.