

Polyconic projection. 10,000-foot grid ticks based on Ohio coordinate system, South zone, and Kentucky coordinate system, north zone. 1000-meter Universal Transverse Mercator grid, zone 16. 1927 North American Datum To place on the predicted North American Datum 1983 move the projection lines 3 meters south and 5 meters west as shown by dashed corner ticks Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked

UTM GRID AND 1982 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

Red tint indicates areas in which only landmark buildings are shown

Area west of the Great Miami River lies within the Miami River Survey Area east of the Great Miami River lies within the Between the Miamis Land lines based on the Great Miami River Has mitting the Detried and lines established by private subdivision of the Symmes Purchase

The state boundary as shown represents the approximate position of the low water line as determined from U. S. Corps of Engineers Ohio River charts, surveyed 1914, and supplementary information

CONTOUR INTERVAL 10 FEET NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092, KENTUCKY GEOLOGICAL SURVEY, LEXINGTON, KENTUCKY 40506, AND KENTUCKY DEPARTMENT OF COMMERCE, FRANKFORT, KENTUCKY 40601 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



OHIO

QUADRANGLE LOCATION