


Mapped, edited, and published by the Geological Survey
Control by USGS, USC&GS, and USCE
Topography from aerial photographs by photogrammetric methods
Aerial photographs taken 1956 and 1957. Field check 1958
Polyconic projection. 1927 North American datum
10,000-foot grids based on Ohio and West Virginia coordinate
systems, south zones. 1000-meter Universal Transverse Mercator
grid ticks, zone 17, shown in blue
The state boundary as shown represents the approximate position
of the low waterline as determined from U. S. Corps of Engineers,
Ohio River charts, surveyed 1914, and supplementary information
Land lines based on the Ohio River Base. Dotted land lines established
by private subdivision of Ohio Company Purchase
Fine red dashed lines indicate selected fence and field lines where
generally visible on aerial photographs. This information is unchecked

26°
TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN
DECLINATION, 1958



CONTOUR INTERVAL 20 FEET
DOTTED LINES REPRESENT 10-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
Historical File
Topographic Division



QUADRANGLE LOCATION

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty - - - - - Unimproved dirt - - - - -
○ State Route

USGS
FILE COPY
TOPOGRAPHIC DIVISION

APPLE GROVE, OHIO—W. VA.
NW 1/4 GLENWOOD 15' QUADRANGLE
N 3837.5—W 8207.5/7.5

1958

JUN 23 1961

2535