

Topography by planetable surveys 1958 CONTOUR INTERVAL 5 FEET Lucas County portion by planetable surveys 1935. Revised 1958 1 2 U.S. Route State Route NATIONAL GEODETIC VERTICAL DATUM OF 1929 Polyconic projection. 10,000-foot grid based on 71 MILS 1°47' 32 MILS OHIO Ohio coordinate system, north zone 1000-meter Universal Transverse Mercator grid ticks, BOWLING GREEN NORTH, OHIO zone 17, shown in blue. 1927 North American Datum QUADRANGLE LOCATION The difference between 1927 North American Datum and North American 41083-D6-TF-024 PHOTOINSPECTED 1988 1958 UTM GRID AND 1980 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS Datum of 1983 (NAD 83) for 7.5-minute intersections is given in USGS Revisions shown in purple compiled in cooperation with State of FOR SALE BY U.S. GEOLOGICAL SURVEY Bulletin 1875. The NAD 83 is shown by dashed corner ticks Ohio agencies from aerial photographs taken 1977 and other DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092 Map photoinspected 1988 PHOTOREVISED 1980 Red tint indicates area in which only landmark buildings are shown source data. This information not field checked. Map edited 1980 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST No major culture or drainage changes observed DMA 4266 I NW-SERIES V852 Land lines within Congress Lands based on the First Principal Meridian