

Polyconic projection. 1927 North American datum 2° 36 MILS 1°27' 26 MILS 10,000-foot grid based on Ohio coordinate system, south zone 1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked UTM GRID AND 1974 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET Entire area lies within the Virginia Military District Revisions shown in purple compiled in cooperation with Map photoinspected 1988 No major culture or drainage changes observed State of Ohio agencies from aerial photographs taken 1974. This information not field checked.

CONTOUR INTERVAL 20 FEET NATIONAL GEODETIC VERTICAL DATUM OF 1929 OHIO QUADRANGLE LOCATION THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

The difference between 1927 North American Datum and North American Datum of 1983 (NAD 83) for 7.5-minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks

39083-A3-TF-024 PHOTOINSPECTED 1988 1**961** PHOTOREVISED 1974 DMA 4362 III SE-SERIES V852

BYINGTON, OHIO

State Route