





Produced by the United States Geological Survey
Topography compiled 1956 and 1958. Planimetry derived from imagery taken 1971 and 1975. Photomaps using imagery dated 1994; no major culture or drainage changes observed. Survey control current as of 1960. Boundaries, other than corporate, verified 1998.
North American Datum of 1927 (NAD 27)
Projection: Ohio coordinate system, south zone (Lambert conformal conic)
10 000-foot ticks: Ohio coordinate system, south zone and West Virginia coordinate system, south zone
1000-meter Universal Transverse Mercator grid, zone 17
North American Datum of 1983 (NAD 83) is shown by dashed corner ticks. The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.
The state boundary as shown represents the approximate position of the low water line as determined from U. S. Corps of Engineers Ohio River charts surveyed 1914, and supplementary information.
Land lines based on the Ohio River Base. Dotted land lines established by private subdivision of the Ohio Company Purchase.
Information shown in purple may not meet USGS content standards and may conflict with previously mapped contours.



SCALE 1:24 000
CONTOUR INTERVAL 20 FEET
DOTTED LINES REPRESENT 10-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048



ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
Interstate Route	U. S. Route
	State Route

CHESTER, OHIO—W. VA.

1994

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

NIMA 4662 III SW—SERIES V852

RECD FILE COPY
MAY 31 1995

