



Produced by the United States Geological Survey
Topography compiled 1958. Planimetry derived from imagery taken 1994. Public Land Survey System and survey control current as of 1958.
North American Datum of 1983 (NAD 83). Projection and 1 000-meter grid: Universal Transverse Mercator, zone 17 2 500-meter ticks: Ohio Coordinate System of 1985 (north zone)
North American Datum of 1927 (NAD 27) is shown by dashed corner ticks. The values of the shift between NAD 83 and NAD 27 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software.
There may be private inholdings within the boundaries of the National or State reservations shown on this map.
Landmark buildings verified 1955.
Land lines within Congress Lands based on the First Principal Meridian.



CONTOUR INTERVAL 5 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
TO CONVERT FROM FEET TO METERS, MULTIPLY BY 0.3048

ROAD CLASSIFICATION
Primary highway hard surface
Secondary highway hard surface
Unimproved road
Light-duty road, hard or improved surface
Unimproved road
Interstate Route U.S. Route State Route

QUADRANGLE LOCATION

1	2	3	1 Maumee
			2 Rossford
			3 Wallbridge
4	5	6	4 Bowling Green North
			5 Pemberville
			6 Bowling Green South
6	7	8	7 Jerry City
			8 Bradner

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, P.O. BOX 25286, DENVER, COLORADO 80225
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

DUNBRIDGE, OH
1994
NIMA 4266 1 NE-SERIES V852

USGS DATA HISTORICAL
MAR 3 1 1998
REC'D FILE COPY

