

Mapped, edited, and published by the Geological Survey

Control by USGS, USC&GS, and USCE

Topography from aerial photographs by photogrammetric methods

Aerial photographs taken 1956 and 1957. Field check 1958

Polyconic projection. 1927 North American datum

10,000-foot grids based on Ohio and West Virginia coordinate

systems, south zones. 1000-meter Universal Transverse Mercator

grid ticks, zone 17, shown in blue

Red tint indicates areas in which only landmark buildings are shown

The state boundary as shown represents the approximate position

of the low waterline as determined from U. S. Corps of Engineers

Ohio River charts, surveyed 1913, and supplementary information



Dotted land lines established by private subdivision of

Ohio Company Purchase

Fine red dashed lines indicate selected fence and field lines

visible on aerial photographs. This information is unchecked

Unchecked elevations are shown in brown



CONTOUR INTERVAL 20 FEET
DOTTED LINES REPRESENT 10-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

USGS
Historical File
Topographic Division



ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
U. S. Route ——— State Route ———

U.S.G.S.
FILE COPY
TOPOGRAPHIC DIVISION

GALLIPOLIS, OHIO—W. VA.
SW 1/4 POINT PLEASANT 15' QUADRANGLE
N 3845—W 8207.5/7.5
1958
AMS 4561 I SW—SERIES V852

3190
JUN 15 1958