



Mapped, edited, and published by the Geological Survey  
Control by USGS and USC&GS  
Topography from aerial photographs by Kesh plotter  
Aerial photographs taken 1954. Field check 1955  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on Ohio coordinate system, south zone  
1000-meter Universal Transverse Mercator grid ticks,  
zone 16, shown in blue  
Area covered by dashed light-purple pattern is subject to  
controlled inundation by Taylorsville Dam  
Entire area lies within the Between the Miamis  
Land lines based on the Great Miami River Base  
Revisions shown in purple compiled, in cooperation with  
State of Ohio agencies, from aerial photographs  
taken 1968 and 1973. This information not field checked  
Purple tint indicates urban areas



CONTOUR INTERVAL 10 FEET  
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION  
Heavy-duty ——— Light-duty ———  
Medium-duty ——— Unimproved dirt ———  
U. S. Route ——— State Route ———

NEW CARLISLE, OHIO DEC 16 1974  
N3952.5—W84007.5  
1955  
PHOTOREVISED 1968 AND 1973  
AMS 4163 I NE—SERIES V852

USGS  
Historical File  
Topographic Division

4261 N.W. (SPRINGFIELD 10 MI.)  
4261 S.W. (SPRINGFIELD 14 MI.)  
4261 E.W. (SPRINGFIELD 10 MI.)  
4261 W.W. (SPRINGFIELD 14 MI.)