STATE OF OHIO PERRY QUADRANGLE UNITED STATES DEPARTMENT OF HIGHWAYS OHIO-LAKE CO. DEPARTMENT OF THE INTERIOR DEPARTMENT OF NATURAL RESOURCES 7.5 MINUTE SERIES (TOPOGRAPHIC) DIVISION OF GEOLOGICAL SURVEY GEOLOGICAL SURVEY SW/4 PERRY 15' QUADRANGLE 81°15′ 41°52′30″ 81°07′30″ 41°52′30″ 480000m.E. 12'30" 2 370 000 FEET 4635000m.N. 800 000 FEET 50′ 47′30″ 770 000 FEET Perry (BM 706) PAIN SVILLE 41°45′ 12'30" R. 8 W.
PAINESVILLE (CITY HALL) 3 MI.
MENTOR 9.2 MI. 2 350 000 FEET 10' 81°15′ 489000m.E. Mapped, edited, and published by the Geological Survey SCALE 1:24 000 ROAD CLASSIFICATION Control by USGS, USC&GS, and U. S. Lake Survey Historical File Aerial photographs taken 1958. Field check 1960 1 KILOMETER 1 .5 0 Unimproved dirt ======= Selected hydrographic data compiled from U.S. Lake Survey Chart 34 CONTOUR INTERVAL 10 FEET

DOTTED LINES REPRESENT 5-FOOT CONTOURS

DATUM IS MEAN SEA LEVEL

DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS LOW WATER 570.5 FEET U. S. Route State Route (1958). This information is not intended for navigational purposes U.S.G.S. PERRY, OHIO
PERRY 15' QUADRANGLE
N 4145—W8107.5/7.5
TOPOGRAPHIC DIVISION 1960 Polyconic projection. 1927 North American datum 10,000-foot grid based on Ohio coordinate system, north zone 1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue QUADRANGLE LOCATION THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, WASHINGTON 25, D.C. A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST APPROXIMATE MEAN DECLINATION, 1960 Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked Entire area lies within the Connecticut Western Reserve Land lines established by private subdivision of