

Polyconic projection. 1927 North Americam datum 10,000-foot grids based on Ohio coordinate system, south zone and West Virginia coordinate system, south zone, 1000-meter Universal Transverse Mercator grid ticks, zone 17, shown in blue

Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked The state line as shown represents the approximate position of the low water line as determined from U.S. Corps of Engineers Ohio River Charts, surveyed 1913, and supplementary information Land lines based on the Ohio River Base. Dotted land lines established by private subdivision of the Ohio Company Purchase



UTM GRID AND 1971 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

CONTOUR INTERVAL 20 FEET DOTTED LINES REPRESENT 10-FOOT CONTOURS DATUM IS MEAN SEA LEVEL


THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY, WASHINGTON, D.C. 20242 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



Revisions shown in purple compiled in cooperation with

State of Ohio agencies from aerial photographs taken

1971. This information not field checked



1960

PHOTOREVISED 1971 AMS 4662 III SE-SERIES V852

State Route

2315